

# Developmental dyslexia: specific phonological deficit or general sensorimotor dysfunction?

Franck Ramus

Dyslexia research now faces an intriguing paradox. It is becoming increasingly clear that a significant proportion of dyslexics present sensory and/or motor deficits; however, as this 'sensorimotor syndrome' is studied in greater detail, it is also becoming increasingly clear that sensory and motor deficits will ultimately play only a limited role in a causal explanation of specific reading disability.

## Addresses

Laboratoire de Sciences Cognitives et Psycholinguistique  
(EHESS/ENS/CNRS), 54 boulevard Raspail, 75006 Paris, France  
e-mail: ramus@lscpc.ehess.fr

**Current Opinion in Neurobiology** 2003, **13**:212–218

This review comes from a themed issue on  
Cognitive Neuroscience  
Edited by Brian Wandell and Anthony Movshon

0959-4388/03/\$ – see front matter  
© 2003 Elsevier Science Ltd. All rights reserved.

DOI 10.1016/S0959-4388(03)00035-7

## Introduction

Developmental dyslexia is a failure to acquire reading skills that affects around 5% of children, despite adequate intelligence, education and social background. There is a wide consensus that it is a neurological disorder with a genetic origin. Yet, after decades of research, it seems surprising that theorists still have fundamental disagreements over the neurological and cognitive basis of the disorder. The dyslexia scene is currently occupied by no less than four major theories, which can be grouped within two antagonistic frameworks; moreover, each of these theories is supported by a whole body of empirical evidence.

On one side of the divide, theorists contend that the specific reading retardation characteristic of dyslexia is directly and exclusively caused by a cognitive deficit that is specific to the representation and processing of speech sounds: this is the phonological theory (Figure 1; [1–3]). At the level of the brain, this cognitive deficit would arise from a congenital dysfunction of certain cortical areas involved in phonology and reading [4–6]. On the other side of the divide, researchers agree with the idea of a phonological deficit but see it as secondary to a more basic auditory impairment, and as part of a general sensorimotor deficit. Separate theories have been developed on the basis of an auditory deficit [7], a magnocellular visual dysfunction [8] or a cerebellar/motor dysfunction [9], but

they have recently been unified under the general magnocellular theory of dyslexia [10]. (There is also an attentional variant of this theory [11].) According to this view, there are two direct causes of reading retardation: phonological and visual deficits. The phonological deficit can be traced back to a more general auditory impairment, which has the same biological origin as the visual impairment, namely, a dysfunction of magno-cells in sensory pathways. This magnocellular dysfunction is also apparent in the tactile domain [12], and reaches the cerebellum via the posterior parietal cortex, causing further impairments, notably in the motor domain (Figure 2; [10]). In this theory, therefore, dyslexia is seen as a general sensorimotor syndrome.


The phonological theory has been predominant for about 20 years. Gradually, more and more studies have emerged that provide evidence for auditory, visual and motor impairments in dyslexics, and give support to the sensorimotor theories. This trend was reflected in the last two reviews of dyslexia in this journal [13,14]. However, the past two years of research suggest that the tide may be turning again [15]. Here, I review recent studies of sensory and motor function in dyslexics, with a particular focus on those that challenge received wisdom in these areas.

## Auditory processing in dyslexia

Many studies have further confirmed the presence of auditory deficits in the dyslexic population. Moreover, deficits are demonstrated across a wide range of auditory tasks, from Tallal's [7] classic temporal order judgement and repetition tests [16,17,18,19,20], to discrimination of frequency and intensity [21,22,23], gap detection [20,24], detection of illusory movement [25], detection of frequency and amplitude modulation [23,26,27], categorical perception of phonemes and non-speech analogues [28,29] and backward masking [30,31]. Three debates surround the study of dyslexics' auditory processing. First, what proportion of dyslexics are affected? Second, can the deficit be characterised in terms of 'rapid auditory processing'? And third, does the deficit in auditory processing explain the phonological deficit?

From the beginning of this type of research, it has been evident that only a fraction of dyslexics showed poor performance in the auditory tasks (45% in [7]). However, it is possible that this was due to the poor reliability of the tasks used, with low numbers of trials per subject leading to high measurement error and overlap between the groups [32]. Recent years have seen great improvements

Figure 1



The phonological theory of dyslexia. A specific phonological deficit of left peri-sylvian origin is postulated to be the direct cause of reading problems. Bubbles represent impairments at the neurological (red), cognitive (green) and behavioural (blue) levels; arrows represent causal connections.

in the methodology: adaptive psychophysical procedures with multiple measures of each threshold are now routinely used, so that individual data can be taken seriously. Yet, this has only reinforced the original observation; when collapsing the data across all the recent studies in which individual data was analysed or displayed, a total of 67/174 (39%) dyslexics had an observed auditory deficit [19,21,23<sup>••</sup>,24,26,28,30<sup>•</sup>,31<sup>••</sup>,33,34].

Most of the auditory studies have been taken to support the view that dyslexics' auditory processing is impaired specifically on short sounds and fast transitions: this is called the 'rapid' or 'temporal' auditory processing deficit [7]. Such a characterisation of the auditory dysfunction is consistent with the magnocellular theory, as magno-cells are particularly sensitive to high temporal frequencies [10<sup>•</sup>]. However, a closer look reveals major inconsistencies between the data and the theory; some deficits are found in tasks that don't tap rapid auditory processing, such as frequency discrimination [21,22<sup>••</sup>] or frequency modulation detection at 2 Hz [26]. On the other hand, the expected rapid processing deficits are often not observed. In fact, when inter-stimulus intervals were manipulated in a systematic manner, the auditory processing of dyslexics was not found to be poorer at short than at long intervals, and sometimes it was better [18<sup>••</sup>,20<sup>••</sup>,21,22<sup>••</sup>].

Finally, three separate studies have investigated dyslexics' auditory processing on a large array of psychophysical tests administered to the same subjects. They revealed that a subset of dyslexics do have difficulties with certain tests, but that the pattern of good and poor performance can in no way be characterised as a problem with rapid or temporal processing [23<sup>••</sup>,30<sup>•</sup>,31<sup>••</sup>]. Moreover, the pattern of performance varies widely across individuals. A coherent characterisation of dyslexics' auditory performance remains elusive.


### A causal connection?

This leads us to ask, when an auditory deficit is present in a dyslexic individual, is it responsible for the phonological deficit and/or for the reading disability? Supporters of the auditory processing theory have hypothesised that impaired perception of brief sounds and transitions would be particularly detrimental to speech perception, and hence would undermine the development of the child's phonological representations [35,36]. Evidence against this hypothesis was soon put forward [37]. Recent studies have now established that there is no reliable relationship between performance on rapid auditory processing tasks and speech categorisation and discrimination [29<sup>•</sup>,30<sup>•</sup>,31<sup>••</sup>]. Neither is there a reliable relationship between any auditory measure (speech or non-speech) and more general measures of phonological skill or reading ability [19,25<sup>•</sup>,33], even when assessed longitudinally [18<sup>••</sup>]. If anything, it seems that dyslexics that have the worst auditory impairments also have severely impaired phonology and reading, although the reverse is not necessarily true [23<sup>••</sup>,26,31<sup>••</sup>].

Interestingly, there have been claims that auditory training programs can improve the language and reading skills of dysphasic and dyslexic children [38–40]. Unfortunately, these studies have not protected themselves against placebo and Hawthorne effects by running double-blind randomised controlled trials (The Hawthorne effect refers to positive outcomes exclusively caused by being the subject of a trial). A few independent studies that have attempted to assess the effects of the controversial Fast Forward programme, which is based on an adaptive training of rapid auditory processing [39], have found it no more efficient than more traditional intervention programs, and they have challenged the role of the rapid auditory processing part of the training [41<sup>•</sup>–43<sup>•</sup>].

In summary, the auditory disorders that are observed in individuals with dyslexia are not particularly 'rapid' or 'temporal' in nature. These disorders are restricted to a subset of the dyslexic population, and have little influence on the development of phonology and reading. It therefore seems that the phonological deficit that is characteristic of dyslexia can arise in the absence of any auditory disorder, with the most severe auditory impairments nevertheless acting as aggravating factors.

Figure 2



The general magnocellular theory of dyslexia [10]. A general magnocellular dysfunction is hypothesised to engender auditory, visual and cerebellar/motor deficits. The auditory deficit in turn causes a phonological deficit, thereby triggering the same cascade of events as predicted in the phonological theory. The visual magnocellular deficit is seen as another direct cause of reading problems. In the cerebellar theory [9], the cerebellar/motor impairment is also thought to independently contribute to phonological and reading problems (not represented here).

### Visual processing in dyslexia

The debate on visual deficits in dyslexia is articulated around three questions that are similar to those asked about the auditory deficit. First, do visual disorders cause reading difficulties? Second, do those visual disorders have a magnocellular origin? And third, what proportion of dyslexics are affected?

Even when excluding major ophthalmologic disorders, it seems plausible that more subtle visual deficits might have an impact on reading. Perhaps the clearest example is visual stress [44], a condition that provokes visual distortions and sometimes leads to impaired reading fluency. This condition can be improved by using coloured overlays or glasses [45,46]. Other visual problems that are often mentioned in the context of dyslexia include binocular fixation instability and poor vergence control [10], increased visual crowding [47], and slight visuo-spatial attention deficits [48]. Although these are all plausible proximal causes of reading impairment, both their prevalence and their relationship to reading retardation

remain hotly debated, especially as visual disorders are often accompanied by a phonological deficit.

Whether a magnocellular dysfunction is the underlying cause of these proximal visual impairments is far from clear. Several studies have provided evidence that dyslexics have elevated detection thresholds or abnormal visual evoked potentials for stimuli in the spatial and temporal ranges of the magnocellular system [24,49–53], although it has been disputed whether some of the stimuli used uniquely tap the magnocellular system [54,55]. However, a growing number of studies report findings that are inconsistent with a visual deficit that is specific to the magnocellular system [20,22,31,56,57–59]. These studies have often found that visual deficits, when present, cover the whole range of spatial and temporal frequencies. Questions have also been raised as to whether group differences could be explained by attention or memory rather than sensory deficits [57,60]. Moreover, visual deficits seem to be restricted to a subset of dyslexics; in seven recent studies displaying individual

data, 37/128 (29%) dyslexics had elevated visual thresholds in the target conditions [22<sup>••</sup>,24,31<sup>••</sup>,34,49,51,53]. Finally, no demonstration has been provided that magnocellular dysfunction, when present, engenders visual problems that are more proximal to reading, such as visual instability, crowding or stress. In fact, in the case of visual stress, there is evidence that the symptoms are unrelated to magnocellular dysfunction [61].

To summarise, a minority of dyslexics seem to have visual problems. Visual stress seems to be dissociated from the phonological deficit, and is therefore a possible independent cause of reading disability. However, the underlying biological cause of these visual disorders and their precise impact on reading still needs to be elucidated. The hypothesis of a magnocellular origin does not seem to be well supported.

### Motor control in dyslexia

Motor difficulties are also frequent in the dyslexic population [62–64]. However, as for auditory and visual deficits, some studies have failed to find any link between dyslexia and motor difficulties [25<sup>•</sup>,65]. Furthermore, motor impairments are restricted to a subset (estimated at between 30 and 50%) of the dyslexic population [31<sup>••</sup>,62]. One possible hypothesis is that motor impairments emerge from a general temporal processing or timing deficit [64]. There is, however, contradictory evidence [20<sup>••</sup>]. Another possibility is that motor impairments arise from a cerebellar dysfunction [9<sup>•</sup>], which is supported by the parallel findings of poor dyslexic performance in task automaticity, implicit learning, time estimation and, most recently, eye-blink conditioning [66]. However, independent studies have not always confirmed these findings, notably those regarding implicit learning [67], automaticity [31<sup>••</sup>] and time estimation [31<sup>••</sup>,62]. Finally, there is little evidence for a causal link between motor difficulties and phonological processing, and/or reading [62].

### A general sensorimotor syndrome?

The recurrent theme of this discussion so far is that sensory and/or motor disorders do occur more often in the dyslexic than in the non-dyslexic population, but with a limited prevalence, variable manifestations, and limited consequences on reading skill. However, an intrinsic limitation of the research reviewed here is that most studies focus on one domain (auditory, visual or motor), and often use just one or two tasks to assess it. This approach leaves open radically different possibilities (and intermediate solutions). It could be that about one-third of dyslexics are affected by a multi-modal sensorimotor syndrome, with the rest of the population entirely spared. Alternatively, one-third of dyslexics could have an auditory deficit, another third a visual deficit, and the rest a motor disorder, so that every dyslexic would have a sensory or motor disorder that might explain his/her reading disability.

A few recent studies have begun to tackle this issue. They have investigated, within the same subjects, auditory and visual processing [22<sup>••</sup>,24,68]; auditory, visual and tactile processing within and across modalities [69,70]; and auditory, visual and motor functions [20<sup>••</sup>,25<sup>•</sup>,31<sup>••</sup>]. Overall, these studies show that there is partial, but not total, overlap between the deficits in the different domains; and that, even when a considerable array of tasks is used in each modality, some dyslexics are entirely spared by sensorimotor deficits and seem to have a pure phonological dyslexia.

One viable hypothesis is that the sensorimotor dysfunctions discussed in this review form a general sensorimotor syndrome, which has variable manifestations across different individuals, and is an optional, rather than a defining, feature of developmental dyslexia. In fact, there is good evidence that sensorimotor dysfunction is an optional feature of several developmental disorders, including specific language impairment (SLI), autism, dyspraxia, and Williams syndrome [71–75]. The optional character of the sensorimotor syndrome also makes sense in the light of behavioral genetic studies showing that phonological deficits are highly heritable, whereas auditory and visual disorders are not [56<sup>•</sup>,76,77].

### Phonological processing in dyslexia

In contrast to sensorimotor disorders, a deficit in phonological processing remains the most consistent finding in all studies of dyslexia, as confirmed again by our recent study that showed that 100% of the dyslexic sample were affected [31<sup>••</sup>]. It is sometimes argued that the phonological theory is a tautology rather than an explanation, that phonology and reading are two sides of the same coin, in the sense that phoneme awareness is enhanced by reading skill as well as the other way around. This point might be valid if the phonological deficit could be reduced to a problem with phoneme awareness; however, this is not the case.

Indeed, beyond phonological awareness, dyslexics have at least two other major phonological problems, in rapid naming (of pictures, colours, digits or letters) and verbal short-term memory, neither of which can be said to rely on reading. A major debate in the recent literature is whether these are independent phonological deficits or whether they are different manifestations of a single underlying deficit. Evidence has been provided that indicates that phonological awareness and rapid naming deficits are relatively independent and additive [78,79]; however, the debate is far from closed. More generally, it must be pointed out that phonology does not reduce to awareness, naming and memory; consequently many aspects of dyslexics' phonology remain to be investigated [80].

Another important element that helps to judge the direction of causality is provided by longitudinal studies. For



instance, although school-age and adult dyslexics are sometimes shown to have abnormal patterns of visual fixation and attention [10\*,48,81], it has never been clear whether this was a cause or a consequence of their reading problems. Indeed, recent research shows that visual training regimes such as regular video game playing can dramatically alter one's psychophysical abilities (Green, Bavelier: Video game playing: rot your brain or expand your mind? presented at the Cognitive Neuroscience Society Annual Meeting; San Francisco, CA: April 2002), this might also happen when learning to read. Evidence that these visual problems exist even before schooling and predict future reading difficulties would be needed to indicate causality. In contrast, in the case of phonology, it has been amply demonstrated that pre-school phonological skills predict future reading skills, and that they are already poor in would-be dyslexics [82–84].

## Conclusions

Although the phonological deficit is still in need of a complete cognitive and neurological characterisation, the case for its causal role in the aetiology of the reading and writing disability of the great majority of dyslexic children is overwhelming. The most recent research reveals that this phonological deficit cannot be accounted for by a lower-level auditory processing deficit, let alone a deficit specific to 'rapid' or 'temporal' processing. More generally, all the sensorimotor problems investigated in dyslexia have both limited prevalence and limited effects on reading skill, although it remains possible that certain visual deficits, such as visual stress, may sometimes sufficiently disrupt reading ability so as to lead to a diagnosis of dyslexia. According to our current state of knowledge, developmental dyslexia seems best characterised as a specific phonological deficit, optionally accompanied by a sensorimotor syndrome. A complete theory of dyslexia will have to explain both the neurological origin of the specific phonological deficit, and the reasons why a sensorimotor syndrome occurs more often in the dyslexic than in the general population.

## Acknowledgements

I thank Uta Frith and Sarah White for their comments on this paper.

## References and recommended reading

Papers of particular interest, published within the annual period of review, have been highlighted as:

- of special interest
  - of outstanding interest
1. Liberman IY: **Segmentation of the spoken word.** *Bulletin of the Orton Society* 1973, **23**:65-77.
  2. Stanovich KE: **Explaining the differences between the dyslexic and the garden-variety poor reader: the phonological-core variable-difference model.** *J Learn Disabil* 1988, **21**:590-604.
  3. Snowling MJ: *Dyslexia* 2nd edn. Oxford: Blackwell; 2000.
  4. Galaburda AM, Sherman GF, Rosen GD, Aboitiz F, Geschwind N: **Developmental dyslexia: four consecutive patients with cortical anomalies.** *Ann Neurol* 1985, **18**:222-233.

5. Paulesu E, Démonet J-F, Fazio F, McCrory E, Chanoine V, Brunswick N, Cappa SF, Cossu G, Habib M, Frith CD, Frith U: **Dyslexia: cultural diversity and biological unity.** *Science* 2001, **291**:2165-2167.
6. Temple E, Poldrack RA, Salidis J, Deutsch GK, Tallal P, Merzenich MM, Gabrieli JD: **Disrupted neural responses to phonological and orthographic processing in dyslexic children: an fMRI study.** *Neuroreport* 2001, **12**:299-307.
7. Tallal P: **Auditory temporal perception, phonics, and reading disabilities in children.** *Brain Lang* 1980, **9**:182-198.
8. Lovegrove WJ, Bowling A, Badcock B, Blackwood M: **Specific reading disability: differences in contrast sensitivity as a function of spatial frequency.** *Science* 1980, **210**:439-440.
9. Nicolson RI, Fawcett AJ, Dean P: **Dyslexia, development and the cerebellum.** *Trends Neurosci* 2001, **24**:515-516.  
The latest and most comprehensive description of the cerebellar theory of dyslexia.
10. Stein J: **The magnocellular theory of developmental dyslexia.** *Dyslexia* 2001, **7**:12-36.  
The latest and most comprehensive description of the magnocellular theory of dyslexia.
11. Hari R, Renvall H: **Impaired processing of rapid stimulus sequences in dyslexia.** *Trends Cogn Sci* 2001, **5**:525-532.
12. Stoodley CJ, Talcott JB, Carter EL, Witton C, Stein JF: **Selective deficits of vibrotactile sensitivity in dyslexic readers.** *Neurosci Lett* 2000, **295**:13-16.
13. Wright BA, Bowen RW, Zecker SG: **Nonlinguistic perceptual deficits associated with reading and language disorders.** *Curr Opin Neurobiol* 2000, **10**:482-486.
14. Temple E: **Brain mechanisms in normal and dyslexic readers.** *Curr Opin Neurobiol* 2002, **12**:178-183.
15. Ramus F: **Dyslexia — talk of two theories.** *Nature* 2001, **412**:393-395.
16. Rey V, De Martino S, Espesser R, Habib M: **Temporal processing and phonological impairment in dyslexia: effect of phoneme lengthening on order judgement of two consonants.** *Brain Lang* 2002, **80**:576-591.
17. De Martino S, Espesser R, Rey V, Habib M: **The 'temporal processing deficit' hypothesis in dyslexia: new experimental evidence.** *Brain Cogn* 2001, **46**:104-108.
18. Share DL, Jorm AF, MacLean R, Matthews R: **Temporal processing and reading disability.** *Reading and Writing: An Interdisciplinary Journal* 2002, **15**:151-178.  
This is a unique longitudinal evaluation of the auditory temporal processing hypothesis. The authors examined the relationship between auditory (Tallal's repetition test [7]), phonological and reading skills from kindergarten to grade 2. They found that dyslexic children tended to have impaired auditory processing at long rather than short inter-stimulus intervals and only compared to the chronological age control group. They also found that early auditory deficits did not predict later phonological and reading impairments.
19. Heiervang E, Stevenson J, Hugdahl K: **Auditory processing in children with dyslexia.** *J Child Psychol Psychiatry* 2002, **43**:931-938.
20. Chiappe P, Stringer R, Siegel LS, Stanovich KE: **Why the timing deficit hypothesis does not explain reading disability in adults.** *Reading and Writing* 2002, **15**:73-107.  
This is one of a few studies that addresses the temporal processing hypothesis in the visual, auditory and motor domains within the same subjects, and with systematic manipulation of inter-stimulus intervals. It reveals that while dyslexics are often impaired at temporal processing tasks, there is no interaction with interval duration. The authors also found that temporal processing skills do not predict phonological skills.
21. France SJ, Rosner BS, Hansen PC, Calvin C, Talcott JB, Richardson AJ, Stein JF: **Auditory frequency discrimination in adult developmental dyslexics.** *Percept Psychophys* 2002, **64**:169-179.
22. Amitay S, Ben-Yehudah G, Banai K, Ahissar M: **Disabled readers suffer from visual and auditory impairments but not from a specific magnocellular deficit.** *Brain* 2002, **125**:2272-2285.

The authors have administered possibly the most comprehensive battery of visual psychophysical tests to date (and a few auditory tests) to adult dyslexics and controls. They have found that only a subset of dyslexics were impaired in these tasks, and not in the spatio-temporal range of frequencies predicted by the magno-cellular and temporal processing theories.

23. Amitay S, Ahissar M, Nelken I: **Auditory processing deficits in reading disabled adults.** *J Assoc Res Otolaryngol* 2002, **3**:302-320.

This is the most comprehensive study of dyslexics' basic auditory processing to date. It shows that a subgroup of dyslexics have an auditory deficit, but that it cannot be characterised in terms of rapid temporal processing. Furthermore, auditory skill does not predict reading skill, but seems to place an upper limit on it (poor listeners are poor readers, but not necessarily the other way around; a result similar to that reported in [31\*\*]).

24. Van Ingelghem M, van Wieringen A, Wouters J, Vandenbussche E, Onghena P, Ghesquière P: **Psychophysical evidence for a general temporal processing deficit in children with dyslexia.** *Neuroreport* 2001, **12**:3603-3607.

25. Kronbichler M, Hutzler F, Wimmer H: **Dyslexia: verbal impairments in the absence of magnocellular impairments.** *Neuroreport* 2002, **13**:617-620.

Another rare study looking simultaneously at auditory, visual, motor and phonological skills in dyslexic children. The authors report no significant group differences in any of the sensorimotor tasks, yet large differences in phonological skill.

26. Witton C, Stein JF, Stoodley CJ, Rosner BS, Talcott JB: **Separate influences of acoustic AM and FM sensitivity on the phonological decoding skills of impaired and normal readers.** *J Cogn Neurosci* 2002, **14**:866-874.

27. Goswami U, Thomson J, Richardson U, Stainthorpe R, Hughes D, Rosen S, Scott SK: **Amplitude envelope onsets and developmental dyslexia: a new hypothesis.** *Proc Natl Acad Sci USA* 2002, **99**:10911-10916.

28. Breier JI, Gray L, Fletcher JM, Diehl RL, Klaas P, Foorman BR, Molis MR: **Perception of voice and tone onset time continua in children with dyslexia with and without attention deficit/hyperactivity disorder.** *J Exp Child Psychol* 2001, **80**:245-270.

29. Serniclaes W, Sprenger-Charolles L, Carré R, Démonet J-F: **Perceptual discrimination of speech sounds in developmental dyslexia.** *J Speech Lang Hear Res* 2001, **44**:384-399.

A clever study that compares syllable discrimination within and across phonemic boundaries, and finds that dyslexics have, on average, better discriminative abilities within-boundaries than controls. This would suggest that their perception is less categorical and more based on purely acoustic cues. The use of sine-wave speech allows the authors to tap speech and non-speech modes with the same stimuli: they find that enhanced within-boundary discrimination is stronger in speech mode, precluding an explanation in terms of temporal processing (this replicates the results reported in [37] and is similar to findings described in [30\*] and [31\*\*]).

30. Rosen S, Manganari E: **Is there a relationship between speech and nonspeech auditory processing in children with dyslexia?** *J Speech Lang Hear Res* 2001, **44**:720-736.

The authors administered a large battery of speech and non-speech perceptual tests to dyslexic and control children. They show that speech perception skills are not predicted by non-speech perception skills, and that the perceptual deficits found in a subset of dyslexics cannot be explained in terms of rapid temporal processing.

31. Ramus F, Rosen S, Dakin SC, Day BL, Castellote JM, White S, Frith U: **Theories of developmental dyslexia: insights from a multiple case study of dyslexic adults.** *Brain* 2003, **126**:841-865.

This study describes possibly the largest battery of phonological, auditory, visual and cerebellar/motor tests administered to dyslexics and controls. It reports a very limited incidence of visual and motor deficits. Auditory deficits are present in 60% of the dyslexic sample, but with variable manifestations across individuals (not particularly rapid processing) and at the most an aggravating influence on the phonological deficit. Every single dyslexic in this sample shows a phonological deficit, with a third of them seeming to be entirely spared by any concurrent sensory or motor deficit.

32. McArthur GM, Bishop DVM: **Auditory perceptual processing in people with reading and oral language impairments: current issues and recommendations.** *Dyslexia* 2001, **7**:150-170.

33. Marshall CM, Snowling MJ, Bailey PJ: **Rapid auditory processing and phonological ability in normal readers and readers with dyslexia.** *J Speech Lang Hear Res* 2001, **44**:925-940.

34. Heim S, Freeman RB Jr, Eulitz C, Elbert T: **Auditory temporal processing deficit in dyslexia is associated with enhanced sensitivity in the visual modality.** *Neuroreport* 2001, **12**:507-510.

35. Tallal P, Miller S, Fitch RH: **Neurobiological basis of speech: a case for the preeminence of temporal processing.** *Ann NY Acad Sci* 1993, **682**:27-47.

36. Wright BA, Lombardino LJ, King WM, Puranik CS, Leonard CM, Merzenich MM: **Deficits in auditory temporal and spectral resolution in language-impaired children.** *Nature* 1997, **387**:176-178.

37. Mody M, Studdert-Kennedy M, Brady S: **Speech perception deficits in poor readers: auditory processing or phonological coding?** *J Exp Child Psychol* 1997, **64**:199-231.

38. Tallal P, Miller SL, Bedi G, Byrna G, Wang X, Nagarajan SS, Schreiner C, Jenkins WM, Merzenich MM: **Language comprehension in language-learning impaired children improved with acoustically modified speech.** *Science* 1996, **271**:81-83.

39. Tallal P, Merzenich MM, Miller S, Jenkins IH: **Language learning impairments: integrating basic science, technology, and remediation.** *Exp Brain Res* 1998, **123**:210-219.

40. Kujala T, Karma K, Ceponiene R, Belitz S, Turkila P, Tervaniemi M, Näätänen R: **Plastic neural changes and reading improvement caused by audiovisual training in reading-impaired children.** *Proc Natl Acad Sci USA* 2001, **98**:10509-10514.

41. Friel-Patti S, Frome Loeb D, Gillam RB: **Looking ahead: an introduction to five exploratory studies of Fast Forward.** *Am J Speech Lang Pathol* 2001, **10**:195-202.

This paper introduces a 'Special forum on Fast ForWord' including five small-scale independent assessments of the controversial remediation programme [39]. It recalls all the important issues concerning the proper evaluation of remediation programs in general, and that of Fast ForWord in particular (NB: they also apply to [40]).

42. Gillam RB, Frome Loeb D, Friel-Patti S: **Looking back: a summary of five exploratory studies of Fast Forward.** *Am J Speech Lang Pathol* 2001, **10**:269-273.

This paper summarizes the studies described in the 'Special forum on Fast ForWord' [41]. It concludes that Fast ForWord does not seem more effective than other more conventional remediation programs.

43. Hook PE, Macaruso P, Jones S: **Efficacy of Fast ForWord training on facilitating acquisition of reading skills by children with reading difficulties — a longitudinal study.** *Ann Dyslexia* 2001, **11**:75-96.

In this study, the effectiveness of the Fast ForWord programme was compared to the (less intensive) Orton Gillingham training in two matched groups of reading-disabled children. Overall, the authors found very similar (positive) outcomes for the two programs, and question the specific role played by acoustically modified speech.

44. Wilkins AJ: *Visual Stress*. Oxford: Oxford University Press; 1995.

45. Bouldoukian J, Wilkins AJ, Evans BJ: **Randomised controlled trial of the effect of coloured overlays on the rate of reading of people with specific learning difficulties.** *Ophthalmic Physiol Opt* 2002, **22**:55-60.

46. Wilkins AJ, Lewis E, Smith F, Rowland E, Tweedie W: **Coloured overlays and their benefit for reading.** *J Res Reading* 2001, **24**:41-64.

47. Spinelli D, De Luca M, Judica A, Zoccolotti P: **Crowding effects on word identification in developmental dyslexia.** *Cortex* 2002, **38**:179-200.

48. Hari R, Renvall H, Tanskanen T: **Left minineglect in dyslexic adults.** *Brain* 2001, **124**:1373-1380.

49. Ridder WH III, Borsting E, Banton T: **All developmental dyslexic subtypes display an elevated motion coherence threshold.** *Optom Vis Sci* 2001, **78**:510-517.

50. Davis C, Castles A, McAnally K, Gray J: **Lapses of concentration and dyslexic performance on the Ternus task.** *Cognition* 2001, **81**:B21-B31.

51. Hansen PC, Stein JF, Orde SR, Winter JL, Talcott JB: **Are dyslexics' visual deficits limited to measures of dorsal stream function?** *Neuroreport* 2001, **12**:1527-1530.
  52. Romani A, Conte S, Callieco R, Bergamaschi R, Versino M, Lanzi G, Zambrino CA, Cosi V: **Visual evoked potential abnormalities in dyslexic children.** *Funct Neurol* 2001, **16**:219-229.
  53. Pammer K, Wheatley C: **Isolating the M(y)-cell response in dyslexia using the spatial frequency doubling illusion.** *Vision Res* 2001, **41**:2139-2147.
  54. Skottun BC: **On the use of metacontrast to assess magnocellular function in dyslexic readers.** *Percept Psychophys* 2001, **63**:1271-1274.
  55. Skottun BC: **On the use of the Ternus test to assess magnocellular function.** *Perception* 2001, **30**:1449-1457.
  56. Olson R, Datta H: **Visual-temporal processing in reading-disabled and normal twins.** *Reading and Writing* 2002, **15**:127-149.
- This is the first behavioural-genetic study of visual magnocellular function, conducted on 356 twins. It found that reading-disabled twins had significantly higher contrast detection thresholds on average; however, this was found across all spatial and temporal frequencies. Moreover, there was no significant genetic influence on individual differences in threshold levels.
57. Ben-Yehudah G, Sackett E, Malchi-Ginzberg L, Ahissar M: **Impaired temporal contrast sensitivity in dyslexics is specific to retain-and-compare paradigms.** *Brain* 2001, **124**:1381-1395.
  58. Farrag AF, Khedr EM, Abel-Naser W: **Impaired parvocellular pathway in dyslexic children.** *Eur J Neurol* 2002, **9**:359-363.
  59. Hill GT, Raymond JE: **Deficits of motion transparency perception in adult developmental dyslexics with normal unidirectional motion sensitivity.** *Vision Res* 2002, **42**:1195-1203.
  60. Stuart GW, McAnally KI, Castles A: **Can contrast sensitivity functions in dyslexia be explained by inattention rather than a magnocellular deficit?** *Vision Res* 2001, **41**:3205-3211.
  61. Simmers AJ, Bex PJ, Smith FKH, Wilkins AJ: **Spatiotemporal visual function in tinted lens wearers.** *Invest Ophthalmol Vis Sci* 2001, **42**:879-884.
  62. Ramus F, Pidgeon E, Frith U: **The relationship between motor control and phonology in dyslexic children.** *J Child Psychol Psychiatry* 2003, **44** in press.
  63. Fawcett AJ, Nicolson RI, MacLagan F: **Cerebellar tests differentiate between groups of poor readers with and without IQ discrepancy.** *J Learn Disabil* 2001, **34**:119-135.
  64. Wolff PH: **Timing precision and rhythm in developmental dyslexia.** *Reading and Writing* 2002, **15**:179-206.
  65. Wimmer H, Mayringer H, Raberger T: **Reading and dual-task balancing: evidence against the automatization deficit explanation of developmental dyslexia.** *J Learn Disabil* 1999, **32**:473-478.
  66. Nicolson RI, Daum I, Schugens MM, Fawcett AJ, Schulz A: **Eyeblink conditioning indicates cerebellar abnormality in dyslexia.** *Exp Brain Res* 2002, **143**:42-50.
  67. Kelly SW, Griffiths S, Frith U: **Evidence for implicit sequence learning in dyslexia.** *Dyslexia* 2002, **8**:43-52.
  68. Witton C, Talcott JB, Hansen PC, Richardson AJ, Griffiths TD, Rees A, Stein JF, Green GG: **Sensitivity to dynamic auditory and visual stimuli predicts nonword reading ability in both dyslexic and normal readers.** *Curr Biol* 1998, **8**:791-797.
  69. Laasonen M, Service E, Virsu V: **Temporal order and processing acuity of visual, auditory, and tactile perception in developmentally dyslexic young adults.** *Cogn Affect Behav Neurosci* 2001, **1**:394-410.
  70. Laasonen M, Service E, Virsu V: **Crossmodal temporal order and processing acuity in developmentally dyslexic young adults.** *Brain Lang* 2002, **80**:340-354.
  71. Hill EL: **Non-specific nature of specific language impairment: a review of the literature with regard to concomitant motor impairments.** *Int J Lang Commun Disord* 2001, **36**:149-171.
  72. McArthur GM, Hogben JH: **Auditory backward recognition masking in children with a specific language impairment and children with a specific reading disability.** *J Acoust Soc Am* 2001, **109**:1092-1100.
  73. Milne E, Swettenham J, Hansen P, Campbell R, Jeffries H, Plaisted K: **High motion coherence thresholds in children with autism.** *J Child Psychol Psychiatry* 2002, **43**:255-263.
  74. O'Brien J, Spencer J, Atkinson J, Braddick O, Wattam-Bell J: **Form and motion coherence processing in dyspraxia: evidence of a global spatial processing deficit.** *Neuroreport* 2002, **13**:1399-1402.
  75. Atkinson J, King J, Braddick O, Nokes L, Anker S, Braddick F: **A specific deficit of dorsal stream function in Williams' syndrome.** *Neuroreport* 1997, **8**:1919-1922.
  76. Davis CJ, Gayan J, Knopik VS, Smith SD, Cardon LR, Pennington BF, Olson RK, DeFries JC: **Etiology of reading difficulties and rapid naming: the Colorado twin study of reading disability.** *Behav Genet* 2001, **31**:625-635.
  77. Bishop DV, Bishop SJ, Bright P, James C, Delaney T, Tallal P: **Different origin of auditory and phonological processing problems in children with language impairment: evidence from a twin study.** *J Speech Lang Hear Res* 1999, **42**:155-168.
  78. Wolf M, Goldberg, O'Rourke A, Gidney C, Lovett M, Cirino P, Morris R: **The second deficit: an investigation of the independence of phonological and naming-speed deficits in developmental dyslexia.** *Reading and Writing* 2002, **15**:43-72.
  79. Compton DL, DeFries JC, Olson RK: **Are RAN- and phonological awareness-deficits additive in children with reading disabilities?** *Dyslexia* 2001, **7**:125-149.
  80. Ramus F: **Outstanding questions about phonological processing in dyslexia.** *Dyslexia* 2001, **7**:197-216.
  81. Facioetti A, Turatto M, Lorusso ML, Mascetti GG: **Orienting of visual attention in dyslexia: evidence for asymmetric hemispheric control of attention.** *Exp Brain Res* 2001, **138**:46-53.
  82. Pennington BF, Lefly DL: **Early reading development in children at family risk for dyslexia.** *Child Dev* 2001, **72**:816-833.
  83. Lyytinen H, Ahonen T, Eklund K, Guttorm TK, Laakso ML, Leinonen S, Leppanen PH, Lyytinen P, Poikkeus AM, Puolakanaho A et al.: **Developmental pathways of children with and without familial risk for dyslexia during the first years of life.** *Dev Neuropsychol* 2001, **20**:535-554.
  84. Lundberg I: **The child's route into reading and what can go wrong.** *Dyslexia* 2002, **8**:1-13.